

ECE 20875

Python for Data Science


David Inouye and Qiang Qiu

**(Adapted from material developed by Profs. Milind Kulkarni,
Stanley Chan, Chris Brinton, David Inouye)**

objects and classes

Python is OOP

- Like C++ and Java, Python is an **object-oriented programming** (OOP) language
- An **object** is Python's abstraction for data
 - A bundle of *data* and *operations* that execute on this data
- Everything in Python is an object
 - All data is represented by objects or relations between objects
 - This includes “simple” data like integers and floats
 - Even functions are special objects in Python



we've been using OOP all along

- Some **classes** we've used so far or will use soon (you can see all of their source code on [github](#)):
 - `sklearn.linear_model.LinearRegression` (https://github.com/scikit-learn/scikit-learn/blob/fd237278e/sklearn/linear_model/base.py#L389)
 - `sklearn.svm.SVC` (<https://github.com/scikit-learn/scikit-learn/blob/fd237278e/sklearn/svm/classes.py#L428>)
- Some instance **variables** we've used so far or will use soon:
 - `sklearn.linear_model.Ridge.coef_`
 - `sklearn.linear_model.LogisticRegression.intercept_`
- Some **methods** we've used so far or will use soon:
 - `re.sub(...)`
 - `np.sort(...)`
 - `LogisticRegression.fit(...)` (https://github.com/scikit-learn/scikit-learn/blob/fd237278e/sklearn/linear_model/logistic.py#L1011)

```
1010
1011 class LogisticRegression(BaseEstimator, LinearClassifierMixin,
1012                          SparseCoefMixin):
1013     """
1014     Logistic Regression (aka logit, MaxEnt) classifier.
1015
1016     In the multiclass case, the training algorithm uses the one-vs-rest (OvR)
1017     scheme if the 'multi_class' option is set to 'ovr', and uses the
1018     cross-entropy loss if the 'multi_class' option is set to 'multinomial'.
1019     (Currently the 'multinomial' option is supported only by the 'lbfgs',
1020     'sag', 'saga' and 'newton-cg' solvers.)
1021
1022     This class implements regularized logistic regression using the
1023     'liblinear' library, 'newton-cg', 'sag', 'saga' and 'lbfgs' solvers. **Note
1024     that regularization is applied by default**. It can handle both dense
1025     and sparse input. Use C-ordered arrays or CSR matrices containing 64-bit
1026     floats for optimal performance; any other input format will be converted
1027     (and copied).
1028
```

every object in Python has ...

1. an **identity**, accessed through the `id()` function
 - Unique “name” for an object, like its address in memory, which never changes
2. a **type**, accessed through the `type()` function
 - This defines the operations that you can perform on an object (asking for its length, adding to it, etc.)
 - Also defines the possible values this object can take
3. a **value**, which defines the data associated with the object
 - Think the contents of a list, or the value of an integer
 - Objects whose values can change (e.g., a dictionary) are **mutable**, while objects whose values cannot be changed (e.g., a tuple) are **immutable**

```
# Integers, lists, functions and objects
# (and even classes) are objects in Python
my_integer = 5
my_list = [1.0, 2, 3]
def my_function(): return 0
class MyClass: pass
my_object = EmptyClass()


# Show id and type of each object
for o in [my_integer, my_list,
         my_function, my_object, MyClass]:
    print(f'id={id(o)}, type={type(o)}')
```

Output:

```
id=4308932128, type=<class 'int'>
id=4364494984, type=<class 'list'>
id=4363413160, type=<class 'function'>
id=4368615744, type=<class '__main__.EmptyClass'>
id=140649053790680, type=<class 'type'>
```

defining an object

- Intuition: an object is defined by
 1. Where it *is* (what box of memory contains its information)
 2. What it *can do* (what operations you can perform on it)
 3. What it *has* (what data those operations will operate on)
- Formally, an object is defined as an **instance** of a **class**
 - A *class* is like a fill-in-the-blank sheet, template, or blueprint
 - An *instance* is like a template that has been filled in with particular values or an actual building/object



- Any data scientist can write their own ML class and submit it to scikit-learn
 - Must follow the common basic API (<https://scikit-learn.org/stable/developers/develop.html>): [estimator](#), [predictor](#), [transformer](#), [model](#)

instantiating objects from classes

- We define what an object has (variables) and what it can do (methods) by *creating* a **class** for that object
 - Think of this as a template for an object that specifies what *information* and *actions* this object has
- There are two types of class **attributes**:
 1. **variables** (either class variables or instance variables), which hold the data we want in an object
 2. **methods**, which are the functions we want to be able to invoke on an object
- `__init__()`: Special **constructor** method automatically invoked for each new class instance

```
class Foo :
    x = 7 #this will be accessible to all Fools
        #it is a class variable

    #this is called when a new Foo is created
    def __init__(self, i) :
        self.y = i #this is specific to each Foo
                    #it is an instance variable

    #this will be available to all Fools
    #it is a class method
    def bar(self) :
        return self.x + self.y

#defining objects as instances of class Foo
a = Foo(1) #a.x = 7, a.y = 1
b = Foo(2) #b.x = 7, b.y = 2

#invoking the bar method on the objects
print(a.bar()) #prints 8
print(b.bar()) #prints 9
```

manipulating objects

- Manipulating an object involves *invoking operations* on the object
 - Intuition: Think of this as “sending a message” to an object, i.e., asking an object to handle an action
- Including things you might not think of!
 - $x = a + b$ is invoking the `__add__()` method on object `a`
 - `len(s)` is invoking the `__len__()` method on object `s`
 - We can also **overwrite** these default methods if we want different functionality! (see example on the right)

```
class MultipleLists():
    def __init__(self):
        self.lists = []
    def __add__(self, a):
        newlists = MultipleLists()
        newlists.lists = self.lists.copy()
        newlists.lists.append(a)
        return newlists
    def __len__(self):
        return sum([len(a) for a in self.lists])
    def __str__(self):
        return ', '.join([
            f'L{i+1}={a}'
            for i, a in enumerate(self.lists)
        ])

many_lists = MultipleLists()
print(many_lists)      # ''
print(len(many_lists)) # 0

many_lists = many_lists + [3,5,1]
print(many_lists)     # L1=[3, 5, 1]
print(len(many_lists)) # 3

many_lists += [8, 4]
print(many_lists)     # L1=[3, 5, 1], L2=[8, 4]
print(len(many_lists)) # 5
```

redefining default methods

creating, updating and accessing variables in objects

- Accessing **variables** in objects uses the “.” notation: `my_object.x` (`MyClass.x` for class variables)
 - Under the hood, this is also invoking methods!
- Object variables can generally be:
 - created/deleted (if mutable object and user-created)
 - updated (if mutable object)
 - accessed
- Variable updates can be done either **internally** (via object methods, preferred) or **externally** (via “hard coding”, need to be careful when doing this)

```
class SimpleClass():
    def __init__(self, x):
        # internal created
        self.myx = x
    def add(self, y):
        # internal access and update
        self.myx = self.myx + y
my_object = SimpleClass(10)

# external access
print(my_object.myx) # 10

# internal update
my_object.add(15)
print(my_object.myx) # 25

# external update
my_object.myx = 200
print(my_object.myx) # 200

# external variable creation
my_object.myz = 18
print(my_object.myz) # 18

# external variable deletion
del my_object.myz
print(my_object.myz) # Error
```


the special role of `self` in defining or calling methods on objects

- When you call a method on an object, the object itself is always passed as the *first argument* of the method
 - The object is called `self`
 - Think of this like the `this` parameter in Java or C++ (except that it shows up explicitly in the argument list)
- By accessing `self.x`, we can create or access variables that are *specific to this object*

outside of the class,
`self` is implicitly
the first argument

within the class, we
have to use `self` as
the first argument

```
class Employee :
    empCount = 0

    def __init__(self, name, salary) :
        self.name = name
        self.salary = salary
        Employee.empCount += 1

    def displayCount(self):
        print("Total employees: %d" %
              Employee.empCount)

    def displayEmployee(self):
        print("Name: ", self.name, ", Salary: ",
              self.salary)

emp1 = Employee("Alice", 100000)
emp2 = Employee("Bob", 50000)

emp1.displayEmployee()
emp1.displayCount() #Total Employees: 2
emp2.displayCount() #Total Employees: 2
```